ELSEVIER

Gene 178 (1996) 209–211

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index

Adam, G.I.R., Miller, S.J., Ullerås, E. and Franklin, G.C.
Cell-type-specific modulation of PDGF-B regulatory elements via viral enhancer competition: a caveat for the use of reference plasmids in transient transfection assays (178) 25
Akeson, R.A., see Thomas, M.B. (178) 1
Andersen, S.J., see Gordhan, B.G. (178) 125
Anderson, B., Jones, D. and Burgess, A.
Cloning, expression and sequence analysis of the *Bartonella henselae* gene encoding the HtrA stress-response protein (178) 35
Aniello, F., Locascio, A., Fucci, L., Geraci, G. and Branno, M.
Isolation of cDNA clones encoding DNA methyltransferase of sea urchin *P. lividus*: expression during embryonic development (178) 57
Armstrong, S.K., see Brickman, T.J. (178) 39

Batt, C.A., see de la Rúa-Domènech, R. (178) 83
Berghammer, H., Hayward, D., Harrison, P. and Miller, D.J.
Nucleotide sequence of *ub52* from the cnidarian *Acropora millepora* reveals high evolutionary conservation (178) 195
Blechynden, L.M., Lawson, C.M. and Garlepp, M.J.
Sequence and polymorphism analysis of the murine gene encoding histidyl-tRNA synthetase (178) 151
Bourgoin, F., Guédon, G., Pébay, M., Roussel, Y., Panis, C. and Decaris, B.
Characterization of a mosaic IS*S1* element and evidence for the recent horizontal transfer of two different types of IS*S1* between *Streptococcus thermophilus* and *Lactococcus lactis* (178) 15
Branno, M., see Aniello, F. (178) 57
Brickman, T.J. and Armstrong, S.K.
Colicins B and Ia as novel counterselective agents in interspecies conjugal DNA transfers from colicin-sensitive *Escherichia coli* donors to other Gram-negative recipient species (178) 39
Burgess, A., see Anderson, B. (178) 35
Burmester, J., see Krebber, A. (178) 71
Burris, T.P., see Guo, W. (178) 31

Cho, G., see Seo, S.J. (178) 177
Craigen, W.J., see Guo, W. (178) 31
Cummings, J.F., see de la Rúa-Domènech, R. (178) 83

Decaris, B., see Bourgoin, F. (178) 15
De la Rúa-Domènech, R., Wiedmann, M., Mohammed, H.O., Cummings, J.F., Divers, T.J. and Batt, C.A.
Equine motor neuron disease is not linked to Cu/Zn superoxide dismutase mutations: sequence analysis of the equine Cu/Zn superoxide dismutase cDNA (178) 83
De Meyer, A.R., see Gordhan, B.G. (178) 125
De Silva, H.V., see Toth, L.R. (178) 161
Dietel, M., see Lage, H. (178) 187
Divers, T.J., see de la Rúa-Domènech, R. (178) 83

Fabre, E., see Vitale, G. (178) 97
Favre, D. and Viret, J.-F.
Versatile cosmid vectors for facilitated analysis and subcloning of the insert (178) 43
Faye, L., see Kiefer-Meyer, M.-C. (178) 205
Franklin, G.C., see Adam, G.I.R. (178) 25
Fucci, L., see Aniello, F. (178) 57
Furuno, N., see Okazaki, K. (178) 111

Garlepp, M.J., see Blechynden, L.M. (178) 151
Garza, O., see Highlander, S.K. (178) 89
Geraci, G., see Aniello, F. (178) 57
Gomord, V., see Kiefer-Meyer, M.-C. (178) 205
Gordhan, B.G., Andersen, S.J., De Meyer, A.R. and Mizrahi, V.
Construction by homologous recombination and phenotypic characterization of a DNA polymerase domain *polA* mutant of *Mycobacterium smegmatis* (178) 125
Grossman, T.H., see Rowland, B.M. (178) 119
Guédon, G., see Bourgoin, F. (178) 15
Guo, W., Lovell, R.S., Zhang, Y.-H., Huang, B.-L., Burris, T.P., Craigen, W.J. and McCabe, E.R.B.
Ahch, the mouse homologue of *DAX1*: cloning, characterization and synteny with *GyK*, the glycerol kinase locus (178) 31

Haines, S.L., see Thomas, M.B. (178) 1
Halpin, C., see Kiefer-Meyer, M.-C. (178) 205
Harano, M., see Okazaki, K. (178) 111
Harrison, P., see Berghammer, H. (178) 195
Hasegawa, K., see Inaguma, Y. (178) 145
Hayashida, K., see Okazaki, K. (178) 111
Hayward, D., see Berghammer, H. (178) 195
Heim, U., Weber, H. and Wobus, U.
Cloning and characterization of full-length cDNA encoding sucrose phosphate synthase from faba bean (178) 201
Henke, M., Hobom, G., Senft, B. and Seyfert, H.-M.
Structural deviations in a bovine low expression lysozyme-encoding gene active in tissues other than stomach (178) 131
Highlander, S.K. and Garza, O.
The restriction-modification system of *Pasteurella haemolytica* is a member of a new family of type I enzymes (178) 89
Hobom, G., see Henke, M. (178) 131
Honoki, K., see Nam, D.K. (178) 169
Huang, B.-L., see Guo, W. (178) 31
Hurt, E.C., see Vitale, G. (178) 97

Inaguma, Y., Hasegawa, K., Kato, K. and Nishida, Y.
cDNA cloning of a 20-kDa protein (p20) highly homologous to small heat shock proteins: developmental and physiological changes in rat hindlimb muscles (178) 145
Iwashita, J., see Okazaki, K. (178) 111

Jones, C., see Toth, L.R. (178) 161
Jones, D., see Anderson, B. (178) 35
Jose, J., Krämer, J., Klauser, T., Pohlner, J. and Meyer, T.F.
Absence of periplasmic DsbA oxidoreductase facilitates export of cysteine-containing passenger proteins to the *Escherichia coli* cell surface via the Iga_β autotransporter pathway (178) 107
Jung, G., see Seo, S.J. (178) 177

Kametaka, S., Matsuura, A., Wada, Y. and Ohsumi, Y.
Structural and functional analyses of *APG5*, a gene involved in autophagy in yeast (178) 139
Kato, K., see Inaguma, Y. (178) 145
Kiefer-Meyer, M.-C., Gomord, V., O'Connell, A., Halpin, C. and Faye, L.
Cloning and sequence analysis of laccase-encoding cDNA clones from tobacco (178) 205
Kim, H.T., see Seo, S.J. (178) 177
Klauser, T., see Jose, J. (178) 107
Krämer, J., see Jose, J. (178) 107
Krebber, A., Burmester, J. and Plückthun, A.
Inclusion of an upstream transcriptional terminator in phage display vectors abolishes background expression of toxic fusions with coat protein g3p (178) 71
Kuhen, K.L., Shen, X. and Samuel, C.E.
Mechanism of interferon action. Sequence of the human interferon-inducible RNA-dependent protein kinase (PKR) deduced from genomic clones (178) 191

Lage, H. and Dietel, M.
Cloning of a human cDNA encoding a protein with high homology to yeast methionyl-tRNA synthetase (178) 187
Lawson, C.M., see Blechynden, L.M. (178) 151
Lewke, N. and Weber, K.
Nucleotide sequence of two actin genes of *Lumbricus terrestris* (178) 199
Locascio, A., see Aniello, F. (178) 57
Lovell, R.S., see Guo, W. (178) 31
Lu, G., see Yang, F. (178) 63

Maeda, N., see Toth, L.R. (178) 161
Matsuura, A., see Kametaka, S. (178) 139
McCabe, E.R.B., see Guo, W. (178) 31
Meyer, T.F., see Jose, J. (178) 107
Miller, D.J., see Berghammer, H. (178) 195
Miller, S.J., see Adam, G.I.R. (178) 25
Mizrahi, V., see Gordhan, B.G. (178) 125
Mohammed, H.O., see de la Rúa-Domènech, R. (178) 83
Mukherjee, S., see Wang, L. (178) 7
Murphy, T.F., see Sen, K. (178) 75

Nam, D.K., Honoki, K., Yu, M. and Yunis, J.J.
Alternative RNA splicing of the *MLL* gene in normal and malignant cells (178) 169
Narayan, O., see Wang, L. (178) 7
Nishida, Y., see Inaguma, Y. (178) 145

O'Connell, A., see Kiefer-Meyer, M.-C. (178) 205
Ohsumi, Y., see Kametaka, S. (178) 139
Okazaki, K., Hayashida, K., Iwashita, J., Harano, M., Furuno, N. and Sagata, N.
Isolation of a cDNA encoding the *Xenopus* homologue of mammalian Cdc25A that can induce meiotic maturation of oocytes (178) 111
Osburne, M.S., see Rowland, B.M. (178) 119

Panis, C., see Bourgoin, F. (178) 15
Pébay, M., see Bourgoin, F. (178) 15
Plückthun, A., see Krebber, A. (178) 71
Pohlner, J., see Jose, J. (178) 107
Prohaska, R., see Schlegel, W. (178) 115

Reitman, M., see Taouis, M. (178) 51
Rho, H.M., see Seo, S.J. (178) 177
Roussel, Y., see Bourgoin, F. (178) 15
Rowland, B.M., Grossman, T.H., Osburne, M.S. and Taber, H.W.
Sequence and genetic organization of a *Bacillus subtilis* operon encoding 2,3-dihydroxybenzoate biosynthetic enzymes (178) 119
Rubin, H., see Yang, F. (178) 63

Sagata, N., see Okazaki, K. (178) 111
Samuel, C.E., see Kuhen, K.L. (178) 191
Schlegel, W., Unfried, I. and Prohaska, R.
Cloning and analysis of a cDNA encoding the BALB/c murine erythrocyte band 7 integral membrane protein (178) 115
Sen, K., Sikkema, D.J. and Murphy, T.F.
Isolation and characterization of the *Haemophilus influenzae tolQ*, *tolR*, *tolA* and *tolB* genes (178) 75
Senft, B., see Henke, M. (178) 131
Seo, S.J., Kim, H.T., Cho, G., Rho, H.M. and Jung, G.
Sp1 and C/EBP-related factor regulate the transcription of human Cu/Zn SOD gene (178) 177
Seyfert, H.-M., see Henke, M. (178) 131
Shen, X., see Kuhen, K.L. (178) 191
Sikkema, D.J., see Sen, K. (178) 75
Smith, T.J., see Toth, L.R. (178) 161
Smithies, O., see Toth, L.R. (178) 161

Taber, H.W., see Rowland, B.M. (178) 119
Taouis, M., Taylor, S.I. and Reitman, M.
Cloning of the chicken insulin receptor substrate 1 gene (178) 51
Taylor, S.I., see Taouis, M. (178) 51
Thomas, M.B., Haines, S.L. and Akeson, R.A.
Chemoreceptors expressed in taste, olfactory and male reproductive tissues (178) 1
Toth, L.R., Smith, T.J., Jones, C., de Silva, H.V., Smithies, O. and Maeda, N.
Two distinct apolipoprotein B alleles in mice generated by a single 'in-out' targeting (178) 161

Ullerås, E., see Adam, G.I.R. (178) 25
Unfried, I., see Schlegel, W. (178) 115

Viret, J.-F., see Favre, D. (178) 43
Vitale, G., Fabre, E. and Hurt, E.C.
NBP35 encodes an essential and evolutionary conserved protein in *Saccharomyces cerevisiae* with homology to a superfamily of bacterial ATPases (178) 97

Wada, Y., see Kametaka, S. (178) 139
Wang, L., Mukherjee, S., Narayan, O. and Zhao, L.-J.
Characterization of a leucine-zipper-like domain in Vpr protein of human immunodeficiency virus type 1 (178) 7
Weber, H., see Heim, U. (178) 201
Weber, K., see Lewke, N. (178) 199
Whitelaw, C.B.A.
Truncated β-lactoglobulin transgenes are expressed in the kidney (178) 157
Wiedmann, M., see de la Rúa-Domènech, R. (178) 83
Wobus, U., see Heim, U. (178) 201
Yang, F., Lu, G. and Rubin, H.
Cloning, expression, purification and characterization of DNA topoisomerase I of *Mycobacterium tuberculosis* (178) 63
Yu, M., see Nam, D.K. (178) 169
Yunis, J.J., see Nam, D.K. (178) 169
Zhang, Y.-H., see Guo, W. (178) 31
Zhao, L.-J., see Wang, L. (178) 7